

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

7280.3479
m 34P
up. 2

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
June 1964

July 30, 1964

Inspected Poultry - The number of head and pounds live weight (chickens, turkeys, and ducks combined) inspected during June 1964 under the Poultry Inspection Act carried on by the USDA were 197,563,000 head and 747,679,000 pounds as compared with 180,695,000 head and 671,578,000 pounds in June 1963.

The number of head and pounds (live weight) inspected by classes in June 1964 were: young chickens, 182,648,000 head, 626,618,000 pounds; mature chickens, 8,964,000 head, 45,187,000 pounds; fryer-roaster turkeys, 1,350,000 head, 11,504,000 pounds; young turkeys, 2,166,000 head, 36,259,000 pounds; old turkeys, 937,000 head, 18,504,000 pounds; and ducks, 1,498,000 head, 9,607,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in June 1964 totaled 544,921,000 pounds ready-to-cook weight of which 433,159,000 pounds were iced and 111,762,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 454,525,000 pounds; mature chickens, 30,639,000 pounds; fryer-roaster turkeys, 8,850,000 pounds; young turkeys, 28,988,000 pounds; old turkeys, 14,750,000 pounds; ducks, 6,817,000 pounds; and other poultry, 352,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in June 1964 totaled 49,553,000 pounds ready-to-cook weight, compared with 41,730,000 pounds in June 1963. The quantity used in June 1964 consisted of 10,963,000 pounds of young chickens, 16,984,000 pounds of mature chickens, 18,152,000 pounds of turkeys, and 3,454,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in plants under Federal inspection in June 1964 was 79,035,000 pounds ready-to-cook weight compared with 64,178,000 pounds in June 1963. The quantity cut-up during June 1964 consisted of 74,684,000 pounds of young chickens, 571,000 pounds mature chickens, 3,732,000 pounds of turkeys, and 48,000 pounds of other poultry.

Ante-mortem condemnations amounted to 2,209,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.30 percent; mature chickens, 0.49 percent; fryer-roaster turkeys, 0.14 percent; young turkeys, 0.19 percent; old turkeys, 0.11 percent, and ducks, 0.02 percent.

Post-mortem condemnations in June 1964 amounted to 13,914,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.09 percent; mature chickens, 2.86 percent; fryer-roaster turkeys, 1.24 percent; young turkeys, 1.31 percent; old turkeys, 2.00 percent; and ducks 1.34 percent. In June 1963, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.01 percent; mature chickens, 2.58 percent; fryer-roaster turkeys, 1.54 percent; young turkeys, 1.32 percent; old turkeys, 1.77 percent; and ducks, 1.02 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
Pou 2-1 (7-64)

Crop Reporting Board
Washington, D. C.

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

SEP 29 1964

CURRENT SERIAL RECORD

Poultry: Slaughtered under Federal Inspection, June 1964 with comparisons

Class	Number inspected			Pounds inspected (live weight)						Average live weight							
				June		May		June		May		June		May		June	
	1964	1963	1964	1963	1964	1964	1963	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	Thou.	Thou.	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	Pounds	Pounds	Pounds	Pounds
Young chickens	166,997	167,536	182,648	894,420	955,127	581,546	569,883	626,618	3,092,800	3,317,510	3,48	3.40	3.43	3.46	3.47	3.46	3.47
Mature chickens	9,057	8,236	8,964	50,882	57,594	44,786	40,505	45,187	246,904	281,567	4.94	4.92	5.04	4.85	4.89	4.85	4.89
Total chickens	176,054	175,772	191,612	945,302	1,012,721	626,332	610,388	671,805	3,339,704	3,599,077	3.56	3.47	3.51	3.53	3.55	3.53	3.55
Fryer-roasters	1,006	1,055	1,350	5,334	6,373	8,514	9,100	11,504	46,505	55,213	8.46	8.63	8.52	8.72	8.66	8.72	8.66
Young turkeys	941	1,541	2,166	5,000	5,727	16,044	23,147	36,259	90,229	109,505	17.05	15.02	16.74	18.05	19.12	18.05	19.12
Old turkeys	657	1,087	937	2,458	1,919	13,412	21,020	18,504	48,745	38,546	20.41	19.34	19.75	19.83	20.09	19.83	20.09
Total turkeys	2,604	3,683	4,453	12,792	14,019	37,970	53,267	66,267	185,479	203,264	14.58	14.46	14.88	14.50	14.50	14.50	14.50
Ducks	1,301	1,240	1,498	4,327	4,504	8,094	7,923	9,607	27,723	28,672	6.22	6.39	6.41	6.41	6.37	6.41	6.37
Other poultry	---	---	---	---	---	215	225	556	988	1,350	---	---	---	---	---	---	---
Total poultry	---	---	---	---	---	672,611	671,803	748,235	3,553,894	3,832,363	---	---	---	---	---	---	---

Pounds certified (ready-to-cook weights)

Class	May 1964			June 1963			June 1964			January-June 1963			January-June 1964		
	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	376,442	46,564	423,006	373,921	40,081	414,002	406,238	48,287	454,525	1,998,755	236,030	2,234,785	2,116,396	276,269	2,392,665
Mature chickens	18,390	11,828	30,218	17,884	9,643	27,527	17,890	12,749	30,639	114,805	53,369	168,174	121,229	69,163	190,392
Total chickens	394,832	58,392	453,224	391,805	49,724	441,529	424,128	61,036	485,164	2,113,560	289,399	2,402,959	2,237,625	345,432	2,583,057
Fryer-roasters	1,630	4,912	6,542	1,539	5,468	7,007	1,509	7,341	8,850	7,904	28,185	36,089	8,026	34,717	42,743
Young turkeys	3,459	9,220	12,679	3,563	14,886	18,449	5,007	23,981	28,988	13,636	57,974	71,610	19,367	67,995	87,362
Old turkeys	575	10,144	10,719	1,958	14,608	16,566	2,414	12,336	14,750	4,382	34,201	38,583	3,458	27,301	30,759
Total turkeys	5,664	24,276	29,940	7,060	34,962	42,022	8,930	43,658	52,588	25,922	120,360	146,282	30,851	130,013	160,864
Ducks	143	5,639	5,782	101	5,432	5,533	91	6,726	6,817	836	18,736	19,572	862	19,562	20,424
Other poultry	8	106	114	2	117	119	10	342	352	11	525	536	54	730	784
Total poultry	400,647	88,413	489,060	398,968	90,235	489,203	433,159	111,762	544,921	2,140,329	429,020	2,569,349	2,269,392	495,737	2,765,129

Poultry: Condemnations of poultry slaughtered under Federal Inspection, June 1964 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight):			Pounds (live weight):			Pounds (N.Y. dressed wt.):			Pounds (N.Y. dressed wt.):		
	June	1963	1964	June	1963	1964	June	1963	1964	June	1963	1964
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	1,563	1,878	1,878	6,989	7,994	10,274	11,734	2.01	2.09	70,245	85,008	85,008
Total chickens	216	222	222	993	1,163	936	1,159	2.58	2.86	5,861	7,372	7,372
Fryer-roasters	1,779	2,100	2,100	7,982	9,157	11,210	12,893	2.05	2.14	76,106	92,380	92,380
Young turkeys	12	16	16	109	100	126	128	1.54	1.24	547	645	645
Old turkeys	32	69	69	127	181	274	428	1.32	1.31	1,368	1,525	1,525
Total turkeys	24	21	21	57	51	334	333	1.77	2.00	876	768	768
Ducks	68	106	106	293	332	734	889	1.53	1.49	2,791	2,938	2,938
Other poultry	3	2	2	7	4	73	116	1.02	1.34	316	375	375
Total	1	1	1	1	2	1	16	.50	3.20	7	21	21
	1,851	2,209	2,209	8,283	9,495	12,018	13,914	1.99	2.07	79,220	95,714	95,714

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, June 1964 with comparisons 1/

Class	Pounds used ready-to-cook weight						Pounds condemned ready-to-cook weight					
	June			June			June			June		
	May	1964	1963	May	1964	1963	May	1964	1963	May	1964	1963
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Further processed:	11,880	7,861	10,963	48,525	63,219	63,219	10	17	183	55	---	---
Cut up	69,670	60,521	74,684	354,907	400,522	400,522	---	---	---	---	---	---
Mature chickens	19,238	18,135	16,984	128,860	121,468	121,468	28	15	71	99	---	---
Further processed:	647	465	571	4,632	5,095	5,095	---	---	---	---	---	---
Turkeys	14,967	12,616	18,152	75,513	90,899	90,899	2	6	28	20	---	---
Further processed:	2,716	3,086	3,732	18,098	19,638	19,638	---	---	---	---	---	---
Other poultry 2/	3,175	3,118	3,454	20,905	21,815	21,815	7	8	56	30	---	---
Further processed:	69	106	48	576	342	342	---	---	---	---	---	---
Total	49,260	41,730	49,553	273,803	297,401	297,401	47	41	338	204	---	---
Further processed:	73,102	64,178	79,035	378,213	425,597	425,597	---	---	---	---	---	---
Cut up	73,102	64,178	79,035	378,213	425,597	425,597	---	---	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1963 and 1964

Region and State	Number		Pounds		Average live weight inspected		Total pounds certified		Post-mortem condemnations	
	inspected	1963	inspected	1964	inspected	1963	inspected	1964	inspected	1963
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
N. Atl.	12,871	14,736	49,629	57,299	3.86	3.89	35,632	41,468	1,015	1,000
E. N. Cent.	3,509	2,719	12,220	9,432	3.48	3.47	8,911	6,898	173	133
W. N. Cent.	4,870	4,514	15,946	15,083	3.27	3.34	11,474	10,841	238	239
S. Atl.	70,985	76,836	245,001	265,518	3.45	3.46	179,407	193,879	4,109	4,764
S. Cent.	71,862	79,784	234,589	264,262	3.26	3.31	169,593	190,730	4,668	5,238
West	3,439	4,059	12,498	15,024	3.63	3.70	8,985	10,709	257	345
U. S.	167,536	182,648	569,883	626,618	3.40	3.43	414,002	454,525	10,274	11,734
Maine	5,148	6,317	20,145	24,836	3.91	3.93	14,813	18,243	374	401
Mass.	481	---	1,866	---	3.88	---	1,316	---	49	---
Conn.	703	934	2,599	3,456	3.70	3.70	1,785	2,439	61	75
N. J.	27	---	129	---	4.79	---	36	---	1	---
Pa.	6,166	6,953	23,605	26,793	3.83	3.85	17,059	19,479	331	503
Ohio	815	472	2,888	1,742	3.54	3.69	2,116	1,274	33	25
Ind.	1,256	1,068	4,086	3,266	3.25	3.06	2,966	2,366	37	25
Ill.-Mich.	365	---	1,339	---	3.67	---	929	---	51	---
Wis.	1,073	1,156	3,907	4,278	3.64	3.70	2,900	3,151	52	80
Minn.	---	727	2,749	2,749	---	3.78	---	2,058	---	27
Iowa	---	64	306	306	---	4.79	---	230	---	4
Mo.	4,120	3,723	13,298	12,028	3.23	3.23	9,497	8,553	196	208
Del.	7,340	7,749	27,661	29,040	3.77	3.75	20,428	21,174	477	521
Md.	9,503	10,793	36,014	40,089	3.79	3.71	25,811	28,704	598	811
Va.	5,014	4,499	14,728	13,894	2.94	3.09	10,436	9,760	219	187
N. C.	17,590	19,074	60,356	64,938	3.43	3.40	44,518	47,659	702	1,027
S. C.	2,037	2,115	6,928	7,233	3.40	3.42	4,986	5,260	114	176
Ga.	28,439	31,358	95,858	106,354	3.37	3.39	70,701	78,482	1,971	1,995
Ky.	2,003	2,024	6,748	6,713	3.37	3.32	4,764	4,853	82	68
Tenn.	5,165	5,304	16,990	17,937	3.29	3.38	12,446	12,912	257	313
Ala.	16,673	18,969	55,870	64,142	3.35	3.38	40,924	46,847	1,057	1,083
Miss.	13,474	14,379	43,339	47,703	3.22	3.32	31,837	34,713	833	1,170
Ark.	22,081	24,604	70,698	79,459	3.20	3.23	49,991	56,777	1,714	1,643
La.-Okla.	3,588	3,414	11,831	11,282	3.30	3.30	8,612	8,095	239	239
Texas	8,878	11,090	29,113	37,026	3.28	3.34	21,019	26,533	475	722
Idaho	447	455	1,503	1,652	3.36	3.63	1,087	1,210	25	23
Wash.	743	852	2,680	3,118	3.61	3.66	1,918	2,234	25	42
Calif.	2,213	2,736	8,185	10,198	3.70	3.73	5,883	7,223	205	279

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, June 1964

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Ination:	Over- scauld	Decom- position:	Other	Total
N. Atl.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
E. N. Cent.	11	3,937	8,627	523	4,406	3,163	2	358	727	983	53	12	4,357	27,159
W. N. Cent.	2,299	4,502	12,668	25	4,221	6,613	162	850	1,040	1,210	61	24	790	34,465
S. Atl.	10,993	4,853	12,264	360	10,071	9,414	439	1,123	624	3,770	188	3	4,887	58,979
S. Cent.	2	3,805	13,163	678	13,061	4,095	5	4,438	1,206	3,144	165	21	510	40,293
West	0	15,683	12,099	222	13,307	1,695	43	635	1,495	4,043	60	39	824	50,145
	1	1,524	18,929	278	8,565	13,742	148	1,345	1,512	2,562	85	83	5,292	54,066
U. S.	13,296	34,304	77,750	2,086	53,631	38,722	799	4,749	6,604	15,712	612	182	16,660	265,107
Maine														
N. J.	---	427	1,393	1	1,630	295	---	25	50	297	9	---	986	5,113
Pa.	11	2,656	4,880	513	1,119	1,991	---	124	382	241	30	12	2,224	14,183
Ohio	---	401	1,477	7	1,092	339	1	165	72	244	3	---	116	3,917
Ind.	471	2,574	3,334	5	2,547	2,454	17	238	390	440	16	5	494	12,985
Wis.	364	508	4,547	4	868	2,752	---	278	256	289	30	3	---	9,899
Minn.	629	746	732	9	579	329	2	49	43	191	2	16	34	3,361
Iowa	6,015	1,629	3,404	36	5,402	6,547	381	566	253	2,589	87	---	3,077	29,986
Mo.	9	7	33	9	1	11	---	1	3	1	---	---	---	75
Del.	656	1,431	5,243	173	2,398	1,553	58	260	305	694	96	3	774	13,644
Md.	---	189	217	19	129	29	---	10	14	29	---	---	1	637
Va.	2	748	2,678	204	1,115	239	3	67	111	70	13	---	101	5,351
N. C.	---	270	1,304	8	2,043	631	---	56	163	165	22	---	8	4,670
S. C.	---	1,628	3,728	149	4,466	790	---	122	509	1,150	105	1	63	12,711
Ga.	---	60	55	40	216	11	---	16	4	34	---	---	---	436
Ky.	---	878	5,070	258	4,832	2,326	2	162	403	1,666	25	19	271	15,912
Tenn.	---	135	295	---	147	242	---	7	11	151	---	---	---	988
Ala.	---	2,351	872	3	739	51	---	17	181	514	17	18	784	5,547
Miss.	---	47	818	29	514	104	---	10	45	359	1	---	5	1,932
Ark.	---	5,541	4,226	13	5,806	234	---	399	770	1,431	33	21	29	18,503
La.-Okla. 1/	---	199	1,875	145	1,270	480	---	49	103	385	3	---	---	4,509
Texas	---	631	1,215	10	1,761	346	6	42	289	320	4	---	1	4,625
Idaho	---	6,779	2,798	22	3,070	238	37	111	96	883	2	---	5	14,041
Wash.	---	60	490	40	130	43	---	9	6	78	---	---	13	869
Calif.	---	482	2,132	2	1,328	893	1	96	173	172	30	11	1,346	6,666
	---	809	16,131	236	7,050	12,796	147	1,231	681	2,304	54	72	3,933	45,444

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, June 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	Percent	Percent
N. Atl.	25	35	414	656	16.56	18.74	318	518	3	8
E. N. Cent.	161	112	2,268	1,720	14.09	15.36	1,803	1,371	22	18
W. N. Cent.	512	617	6,354	10,234	12.41	16.59	5,092	8,226	44	106
S. Atl.	171	353	2,783	5,981	16.27	16.94	2,194	4,716	38	93
S. Cent.	63	338	1,022	5,404	16.22	15.99	816	4,306	16	78
West	609	711	10,306	12,264	16.92	17.25	8,226	9,851	151	125
U. S.	1,541	2,166	23,147	36,259	15.02	16.74	18,449	28,988	274	428
Pa.	13	20	235	309	17.85	15.80	187	240	2	4
Ohio	27	24	449	314	16.71	13.26	357	251	3	1
Wis.	115	83	1,512	1,342	13.11	16.23	1,196	1,067	17	17
Minn.	306	324	4,156	5,569	13.60	17.19	3,336	4,452	33	63
Iowa	113	164	1,506	2,410	13.34	14.70	1,213	1,966	5	12
Mo.	---	33	---	490	---	14.76	---	391	---	2
Va.	48	106	786	1,794	16.37	16.92	582	1,338	20	22
N. C.	86	197	1,536	3,583	17.88	18.18	1,239	2,896	15	69
Ark.	---	123	---	1,971	---	16.03	---	1,549	---	32
Texas	55	188	899	3,048	15.74	16.20	687	2,458	14	41
Colo.	101	146	1,713	2,219	17.03	15.16	1,430	1,828	18	13
Utah	114	123	1,559	1,849	13.66	15.03	1,248	1,477	12	11
Oreg.	21	---	294	---	14.02	---	235	---	2	---
Calif.	373	429	6,740	8,020	18.08	18.68	5,313	6,407	119	100

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, June 1964

Region and State	Tuber- cullosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scaled	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	2	81	33	115	2	---	5	4	14	4	1	2	263
E. N. Cent.	---	1	414	177	181	3	---	12	39	63	3	---	1	894
W. N. Cent.	---	34	2,646	1,769	738	28	2	59	245	137	25	3	3	5,689
S. Atl.	---	8	1,632	841	2,429	6	---	37	181	205	6	5	---	5,350
S. Cent.	---	125	1,204	1,118	2,169	40	---	32	97	75	1	---	---	4,861
West	---	20	1,976	814	2,368	9	---	165	121	244	21	1	1	5,740
U.S.	---	190	7,953	4,752	8,000	88	2	310	687	738	60	10	7	22,797
Pa.	---	2	49	12	72	---	---	1	4	8	4	1	2	155
Ohio	---	---	65	9	20	---	---	1	3	1	---	---	---	99
Wis.	---	1	343	167	161	3	---	11	36	62	3	---	1	788
Minn.	---	2	1,766	1,360	246	4	---	18	149	86	12	1	---	3,644
Iowa	---	28	227	127	154	7	---	15	80	17	3	2	---	660
Mo.	---	---	29	14	6	9	---	---	6	15	---	---	3	82
Va.	---	3	664	218	249	1	---	13	56	16	---	5	---	1,225
N.C.	---	2	898	606	2,123	4	---	23	121	182	6	---	---	3,965
Ark.	---	6	494	802	793	5	---	21	29	31	1	---	---	2,182
Texas	---	118	606	250	1,331	34	---	6	43	27	---	---	---	2,415
Colo.	---	3	89	28	433	1	---	18	36	28	7	1	---	644
Utah	---	---	240	51	168	---	---	87	28	29	5	---	---	608
Calif.	---	17	1,610	733	1,753	6	---	59	55	185	9	---	1	4,428

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, June 1963 and 1964

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Pounds (NYD)		Percent 2/	
		1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. Atl. 3/	Thou.	Thou.	1,000	Pounds	Pounds	1,000	1,000	1,000	1,000	Percent	Percent
E. N. Cent.	8	10	148	18.50	19.20	120	161	---	1	---	0.58
W. N. Cent.	152	129	2,903	2,387	19.10	18.50	2,328	1,920	34	1.30	1.31
S. Atl.	201	205	3,758	4,001	18.70	19.52	2,954	3,169	89	2.01	2.48
S. Cent.	60	80	1,051	1,435	17.52	17.94	839	1,113	35	1.91	2.71
West	127	100	2,378	1,913	18.72	19.13	1,877	1,502	35	1.82	2.03
	539	413	10,782	8,576	20.00	20.77	8,448	6,885	175	1.80	1.88
U. S.	1,087	937	21,020	18,504	19.34	19.75	16,566	14,750	333	1.77	2.00
Ohio	69	62	1,303	1,089	18.93	17.71	1,041	875	9	.83	.93
Wis. 4/	32	---	578	---	17.98	---	456	---	10	1.87	---
Minn.	70	60	1,270	1,139	18.14	19.08	977	920	27	2.42	2.82
Iowa	21	67	406	1,335	19.23	20.03	327	1,069	4	1.07	1.42
Va.	26	16	438	261	16.54	16.44	340	201	8	2.25	2.48
Texas	89	50	1,703	1,005	19.21	19.98	1,353	790	21	1.98	2.32
Calif.	364	316	7,367	6,576	20.23	20.84	5,713	5,282	114	2.04	1.93

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1964

Region and State	Tuber- : leu- : Septi- : Aisrac- : Inflamm- : Tumors : Para- : Bruises : Cadaver : Contam- : Over- : Decom- : Other : Total		: culosis : cosis : cemia : culitis : metory :		: sites :		: No. :		: No. :		: No. :		: No. :		: No. :	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	---	---	---	---	---	3	37	27	---	3	---	---	22	---
E. N. Cent.	4	18	451	106	6	---	9	51	35	96	1	---	---	---	989	---
W. N. Cent.	4	45	1,284	1,067	1,097	2	---	14	45	149	9	---	---	---	3,696	---
S. Atl.	---	19	322	326	755	2	---	14	51	50	1	---	---	---	1,641	---
S. Cent.	---	54	454	320	565	23	---	59	156	116	5	---	---	---	1,532	---
West	---	36	2,340	193	2,491	75	---	150	327	439	16	---	---	---	5,471	---
U. S.	8	172	4,851	2,020	5,243	112	2	2	15	11	---	---	---	---	13,351	---
Ohio	---	4	223	10	132	4	---	2	15	26	---	---	---	---	401	---
Minn.	---	1	363	310	304	---	---	14	9	27	---	---	---	---	1,027	---
Iowa	---	41	274	90	172	1	2	18	5	30	1	---	---	---	639	---
Va.	---	16	55	171	94	---	---	1	3	13	---	---	---	---	370	---
Texas	---	35	302	254	234	12	---	12	7	95	5	---	---	---	869	---
Calif.	---	34	1,817	92	1,912	63	---	30	61	---	---	---	---	---	4,109	---

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.